


Adding/Removing a PILs & DILs Entry to/from the Favourites

Adding a PILs & DILs Entry to the Favourites

1. From the PILs & DILs, search for and highlight an entry in the left-hand side section of the window. The entry's contents display on the right-hand side.



The screenshot shows the ProScript Connect application window. The top bar includes the date '16 January 2018 11:14', a search bar, and user information 'Responsible Pharmacist: Victoria Smith | User: The Supervisor'. The main interface is divided into a left-hand navigation pane and a right-hand content area. The left pane shows a list of medicines under the 'PILs & DILs' tab, with 'Salbutamol inhaler' selected. The right pane displays the patient education content for 'Salbutamol inhaler', including a description, usage instructions, side effects, and a table of properties.

Salbutamol inhaler

Salbutamol is a reliever inhaler.

Make sure you know how to use the inhaler properly. If you are not sure, ask your nurse, pharmacist or doctor to show you.

If after using the inhaler your symptoms do not improve, contact your doctor for advice straightaway.

The most common side-effect is feeling shaky. This should soon pass.


Do not smoke. Smoking causes irritation to the lungs and will make your condition worse.


About salbutamol inhalers

Type of medicine	Bronchodilator (a short-acting beta ₂ agonist)
Used for	Asthma and other airways-related problems
Also called	Airomir®; AirSalb®; Asmasal Clickhaler®; Asmavent®; Easyhaler® Salbutamol; Pulvinal® Salbutamol; Salamol®; Salbulin®; Ventolin®
Available as	Aerosol Inhaler; auto-inhaler; powder Inhaler

Salbutamol is called a bronchodilator medicine because it dilates (widens) your airways. It works by opening up the air passages in your lungs so that air can flow into your lungs more freely. This helps to relieve symptoms of **asthma** and **chronic obstructive pulmonary disease (COPD)** such as coughing, wheezing and feeling breathless. It starts to work within a few minutes and the effect will last between 3-5 hours.

Salbutamol inhalers are referred to as 'reliever' inhalers or 'blue' inhalers. This is because they relieve symptoms of breathlessness, and the inhalers are usually blue in colour. Although they relieve breathlessness, they do not prevent the breathlessness from happening.

2. Press **[F1 – Add to Favourites]**.
3. The entry in the left-hand side displays with an adjoining star icon .



The screenshot shows the ProScript Connect application window. The top bar displays the date '16 January 2018 11:17', a search bar, and the user 'Responsible Pharmacist Victoria Smith'. The main interface is divided into a left-hand sidebar with shortcuts and a main content area. The 'PILs & DILs' section is active, showing a search for 'Salbutamol'. A list of medicines is displayed on the left, with 'Salbutamol inhaler' highlighted and marked with a red star icon. The right-hand side of the window displays the content for 'Salbutamol inhaler', including a description, usage instructions, and a table of properties.

Salbutamol inhaler

Salbutamol is a reliever inhaler.

Make sure you know how to use the inhaler properly. If you are not sure, ask your nurse, pharmacist or doctor to show you.

If after using the inhaler your symptoms do not improve, contact your doctor for advice straightaway.

The most common side-effect is feeling shaky. This should soon pass.

Do not smoke. Smoking causes irritation to the lungs and will make your condition worse.


About salbutamol inhalers


Type of medicine	Bronchodilator (a short-acting beta ₂ agonist)
Used for	Asthma and other airways-related problems
Also called	Airomir®; AirSalb®; Asmasal Clickhaler®; Asmavent®; Easyhaler® Salbutamol; Pulvinal® Salbutamol; Salamol®; Salbulin®; Ventolin®
Available as	Aerosol Inhaler; auto-inhaler; powder Inhaler

Salbutamol is called a bronchodilator medicine because it dilates (widens) your airways. It works by opening up the air passages in your lungs so that air can flow into your lungs more freely. This helps to relieve symptoms of **asthma** and **chronic obstructive pulmonary disease (COPD)** such as coughing, wheezing and feeling breathless. It starts to work within a few minutes and the effect will last between 3-5 hours.

Salbutamol inhalers are referred to as 'reliever' inhalers or 'blue' inhalers. This is because they relieve symptoms of breathlessness, and the inhalers are usually blue in colour. Although they relieve breathlessness, they do not prevent the breathlessness from happening.

Removing a PILs & DILs Entry from the Favourites

1. From the PILs & DILs, search for and highlight an entry marked with a red star icon  in the left-hand side section of the window. The entry's contents display on the right-hand side.



The screenshot shows the ProScript Connect interface. On the left is a sidebar with various shortcuts like 'Reprints', 'Ordering', 'RMS', etc. The main window displays a search for 'Salbutamol' with a list of results. 'Salbutamol inhaler' is highlighted with a red star icon. The right pane shows the details for 'Salbutamol inhaler' from Patient.co.uk, including a description, usage instructions, and a table of properties.

Salbutamol inhaler

Salbutamol is a reliever inhaler.

Make sure you know how to use the inhaler properly. If you are not sure, ask your nurse, pharmacist or doctor to show you.

If after using the inhaler your symptoms do not improve, contact your doctor for advice straightaway.

The most common side-effect is feeling shaky. This should soon pass.

Do not smoke. Smoking causes irritation to the lungs and will make your condition worse.

About salbutamol inhalers

Type of medicine	Bronchodilator (a short-acting beta ₂ agonist)
Used for	Asthma and other airways-related problems
Also called	Airomir®; AirSalb®; Asmasal Clickhaler®; Asmavent®; Easyhaler® Salbutamol; Pulvinal® Salbutamol; Salamo®; Salbulin®; Ventolin®
Available as	Aerosol Inhaler; auto-inhaler; powder Inhaler

Salbutamol is called a bronchodilator medicine because it dilates (widens) your airways. It works by opening up the air passages in your lungs so that air can flow into your lungs more freely. This helps to relieve symptoms of **asthma** and **chronic obstructive pulmonary disease (COPD)** such as coughing, wheezing and feeling breathless. It starts to work within a few minutes and the effect will last between 3-5 hours.

Salbutamol inhalers are referred to as 'reliever' inhalers or 'blue' inhalers. This is because they relieve symptoms of breathlessness, and the inhalers are usually blue in colour. Although they relieve breathlessness, they do not prevent the breathlessness from happening.

2. Press **[F2 – Remove from Favourites]**.
3. The entry no longer displays with a red star icon.

Revision History

Version Number	Date	Revision Details	Author(s)
1.0	30 March 2020		Joanne Hibbert-Gorst

Contact us

For more information contact:
Telephone: 0344 209 2601